

Camtasia Relay[®]

Mediasite EX Server Integration

Release 4.0.1

February 2012

© 2012 TechSmith Corporation.
All rights reserved

This manual, as well as the software described in it, is furnished under license and may be used or copied only in accordance with the terms of such license. The content of this manual is furnished for informational use only, is subject to change without notice and should not be construed as a commitment by TechSmith Corporation. TechSmith Corporation assumes no responsibility or liability for any errors or inaccuracies that may appear in this manual.

Trademarks

Camtasia, Camtasia Relay, Camtasia Studio, DubIt, EnSharpen, Enterprise Wide, Expressshow, Jing, Morae, Rich Recording Technology (RRT), Screencast.com, Show The World, SmartFocus, Snagit, TechSmith, TSCC and UserVue are either registered marks or marks of TechSmith Corporation in the U.S. and/or other countries. This list is not a comprehensive list of all TechSmith Corporation marks. The absence of a name/mark or logo in this notice does not constitute a waiver of any intellectual property rights that TechSmith Corporation has established in any of its product, feature or service names/marks or logos. All other marks are the property of their respective owners.

Table of Contents

Table of Contents	1
Mediasite EX Server Integration Setup	2
Setup a Camtasia Relay Player	2
Setup a Presentation Template	3
Setup the Media Import Project	4
Camtasia Relay Integration Setup	8
Enable the Mediasite Plug-In	8
Create a New Mediasite Publishing Destination	9

Mediasite EX Server Integration Setup

1. Login to your Mediasite EX Server Management Portal as an administrator.

Please sign in to access the requested Mediasite content.

Username

Password

Remember me on this computer

Setup a Camtasia Relay Player

2. Click “Players” from the menu, and then click the “Add Player” link.
3. Add a Content Player with a name that makes sense in this context such as “Camtasia Relay Content Player”. Choose the “Silverlight – Video Only” Layout.

The screenshot shows the Mediasite Admin interface. At the top, there is a navigation bar with the Mediasite logo and the text 'by sonicfoundry'. Below the navigation bar, there are several tabs: Home, Presentations, Presenters, **Players**, Reports, Catalogs, and System. The 'Players' tab is selected, and the breadcrumb trail shows 'Home > Player List > Camtasia Relay Content Player'.

The main content area displays the configuration for the 'Camtasia Relay Content Player'. It includes a title bar with 'Edit', 'Security', 'Options', 'Add Like', and 'Delete' buttons. Below the title bar, the name of the player is 'Camtasia Relay Content Player'. Underneath, the 'Layout' is set to 'Silverlight - Video Only'. There is also a section for 'In Use By'.

On the right side of the interface, there is a sidebar with several sections:

- Search**: A search box and an 'Advanced Search' link.
- Mediasite Tasks**: A list of tasks including 'Explore Presentations', 'Add Presentation', 'Add Presenter', 'Add Player', and 'Add Catalog'.
- Mediasite Reports**: A list of reports including 'Presentation Statistics', 'Presenter Statistics', 'User Statistics', 'Server Statistics', and 'Authoring Statistics'.

At the bottom right of the interface, there is a footer section with the following information:

- Mediasite Server**
- Version 5.5.1 Build 6081
- 4/20/2011 1:51 PM CDT
- © 2010 Sonic Foundry Inc.

4. Click the “Save” button.

- You should now see the player in the list.

MediasiteAdmin sign out help

Home Presentations Presenters Players Reports Catalogs System

Home > Player List

Search by Keyword

▼ Players Add Player

1-10 (of 10) Player(s)
select all : none | delete | security...

Name ▲	Description	Owner
<input type="checkbox"/> Camtasia Relay Content Player		MediasiteAdmin
<input type="checkbox"/> Mediasite - Large Video, Very Small Slides	Default Player with 400x300 video area and 360x270 slide area.	MediasiteAdmin
<input type="checkbox"/> Mediasite - Small Video, Small Slides	Default Player with 240x180 video area and 500x375 slide area.	MediasiteAdmin
<input type="checkbox"/> Mediasite - Small Video, Small Slides (3 Banners)	Default Player with 240x180 video area and 500x375 slide area. Includes 3 banner areas.	MediasiteAdmin
<input type="checkbox"/> Mediasite - Standard Video, No Slides	Default Player with 320x240 video area, but no slides.	MediasiteAdmin
<input type="checkbox"/> Mediasite - Standard Video, Standard Slides	Default Player with 320x240 video area and 640x480 slide area.	MediasiteAdmin
<input type="checkbox"/> Mediasite - Very Large Video, No Slides	Default Player with 640x480 video area, but no slides.	MediasiteAdmin
<input type="checkbox"/> Mediasite - Very Small Video, Large Slides	Default Player with 200x150 video area and 1024x768 slide area.	MediasiteAdmin
<input type="checkbox"/> Mediasite - Wide Screen Video, Small Slides (3 Banners)	Default Player with 400x224 video area and 500x375 slide area. Includes 3 banner areas.	MediasiteAdmin
<input type="checkbox"/> Mediasite - Wide Screen Video, Standard Slides	Default Player with 400x224 video area and 640x480 slide area.	MediasiteAdmin

Search

Advanced Search

Mediasite Tasks

- Explore Presentations
- Add Presentation
- Add Presenter
- Add Player
- Add Catalog

Mediasite Reports

- Presentation Statistics
- Presenter Statistics
- User Statistics
- Server Statistics
- Authoring Statistics

Mediasite Server
Version 5.5.1 Build 6081
4/20/2011 1:51 PM CDT
© 2010 Sonic Foundry Inc.

Setup a Presentation Template

- Click "Presentations" > "Templates" from the menu.

MediasiteAdmin sign out help

Home Presentations Presenters Players Reports Catalogs System

- Presentation Explorer
- Schedules
- Templates
- Poll Templates
- Media Import
- Recycle Bin

- Click the "Add Template" link.
- Give the template a name, choose your time zone, specify the folder in MediaSite where you would like the content stored, choose the player from the menu that you created in the previous steps, and then

select which presenters you'd like to have access to this presentation template.

Camtasia Relay will automatically associate presentations with the right presenters in Mediasite if the presenter exists in both Camtasia Relay and Mediasite.

The screenshot shows the MediasiteAdmin interface. At the top, there's a navigation bar with 'Home', 'Presentations', 'Presenters', 'Players', 'Reports', 'Catalogs', and 'System'. The main content area is titled 'Camtasia Relay Presentations' and includes a profile picture of Rob Mowid, Mediasite Presenter, and Walter Pelowski. To the right, there are settings for the 'Player' (Camtasia Relay Content Player), 'Time Zone' (GMT-05:00 Eastern Time (US & Canada)), and 'Default Folder' (Camtasia Relay Content). Below this, there are sections for 'Publishing' (Slide Server, On-Demand Media Server, Broadcast Server, Encoding Profile) and 'In Use By' (Resource Type: Media Import Project, 1-1 (of 1), select all: none | delete, Name: Camtasia Relay Media Import, Owner: MediasiteAdmin). On the right side, there are sections for 'Search', 'Mediasite Tasks' (Explore Presentations, Add Presentation, Add Presenter, Add Player, Add Catalog), 'Mediasite Reports' (Presentation Statistics, Presenter Statistics, User Statistics, Server Statistics, Authoring Statistics), and 'Mediasite Server' (Version 5.5.1 Build 6081, 4/20/2011 1:57 PM CDT, © 2010 Sonic Foundry Inc.).


9. When done, click the “Save” button.

10. The new Presentation Template should now appear in the list.

Setup the Media Import Project

The integration between Camtasia Relay and Mediasite is predicated upon the content being imported into Mediasite via this Media Import Project. Camtasia Relay can send the media directly to an FTP location configured on the Mediasite EX server or another location that can be accessed by the Mediasite EX Server.

11. Click "Presentations" > "Media Import" from the menu.



12. Click the "Add Media Import Project" link.
13. Give the Project a suitable name like "Camtasia Relay Media Import" and choose an interval at which you would like the project to run. Specify the location, username, and password of the content. For the Presentation Template, choose the template created in the previous steps. It is recommended that you leave the "Delete file from dropbox after success import" checkbox checked. This will remove the content from the temporary location after it has been imported into Mediasite.

The content that is produced by Camtasia Relay and exported to a location for Mediasite to ingest, will not instantly be available when it is published by Camtasia Relay. It must first be imported. The import project will run on a defined "Update Interval" of your choosing. If the content is not yet visible when your Camtasia Relay automatic notifications are sent, you should wait at least until the update interval has passed until once again checking the hyperlink for the media.

While you can publish content recorded with Camtasia Relay anywhere for the Mediasite EX server to import, it is recommended that you use an FTP location on the EX server. This should result in faster overall turn-around times for your videos and fewer points of failure in the file transfer process.

MediasiteAdmin sign out help

Home Presentations Presenters Players Reports Catalogs System

Home > Media Import Project List > Camtasia Relay Media Import

Edit Security Delete

Project Name
Camtasia Relay Media Import

Update Interval
0 : 15 (h:mm)

▼ Dropbox

Location
ftp://mediasite.techsmith.com

Username
mediasiterelay

Password

▼ Import Options

Presentation Template
Camtasia Relay Presentations

Always use presenters from template

Delete file from dropbox after successful import

▼ Project Startup

Start the project immediately upon creation

Do not start the project (manual start)

Start the project on 4/20/2011 at 12:00 AM

Test Save Cancel

Search
Advanced Search

Mediasite Tasks
Explore Presentations
Add Presentation
Add Presenter
Add Player
Add Catalog

Mediasite Reports
Presentation Statistics
Presenter Statistics
User Statistics
Server Statistics
Authoring Statistics

Mediasite Server
Version 5.5.1 Build 6081
4/20/2011 1:42 PM CDT
© 2010 Sonic Foundry Inc.

14. When you have completed adding information for the Media Import Project click the “Save” button.
15. Your new Media Import Project should appear on the list. When presentations begin getting imported you will see them in the “Imported Presentations” content container.

MediasiteAdmin [sign out](#) [help](#)

Home
Presentations
Presenters
Players
Reports
Catalogs
System

[Home](#) > [Media Import Project List](#) > **Camtasia Relay Media Import**

Camtasia Relay Media Import

Dropbox Location
ftp://mediasite.techsmith.com

Dropbox Username
mediasiterelay

Update Interval
This project is updated every 15 minute(s).

▼ **Import Options**

Presentation Template
Camtasia Relay Presentations

Always use presenters from template

Delete file from dropbox after successful import

Status
Pending

Import Status
0 running, 10 successful, 0 failed

Next Update
4/20/2011 1:42 PM CDT

Search

Advanced Search

Mediasite Tasks

- [Explore Presentations](#)
- [Add Presentation](#)
- [Add Presenter](#)
- [Add Player](#)
- [Add Catalog](#)

Mediasite Reports

- [Presentation Statistics](#)
- [Presenter Statistics](#)
- [User Statistics](#)
- [Server Statistics](#)
- [Authoring Statistics](#)

▼ **Imported Presentations**

1-10 (of 10) Imported Presentation(s)
[Delete import entries...](#)


Dropbox File Name	Status	Message	Last Modified ▾
407c4ca1-e0c3-4340-800b-388774dce17c.zip	Complete (Manage imported presentation)	The presentation import was successful.	4/1/2011 2:16 PM CDT
8aec9f4b-bad0-4ab4-92d4-786124ff7bdf.zip	Complete (Manage imported presentation)	The presentation import was successful.	3/14/2011 1:40 PM CDT
7d435550-450d-47bb-a3ff-759fc155a1f8.zip	Complete (Manage imported presentation)	The presentation import was successful.	3/14/2011 12:08 PM CDT
59da477c-a188-40b6-ae76-a95673332ad7.zip	Complete (Manage imported presentation)	The presentation import was successful.	3/14/2011 12:07 PM CDT
d1bd7b8b-fd45-43ab-8027-0fb1b15da980.zip	Complete (Manage imported presentation)	The presentation import was successful.	3/14/2011 10:02 AM CDT
5a92063f-bb9c-4aa8-b73b-2f8b1266343c.zip	Complete (Manage imported presentation)	The presentation import was successful.	3/14/2011 9:44 AM CDT
49f5ce37-716e-4e24-a3f0-beb86523b9b4.zip	Complete (Manage imported presentation)	The presentation import was successful.	3/11/2011 12:36 PM CST
37fc624f-62c9-4352-abe0-533217859dbb.zip	Complete (Manage imported presentation)	The presentation import was successful.	3/11/2011 12:15 PM CST
fbdeba1f-5d7a-4d45-a700-b44475cb107d.zip	Complete (Manage imported presentation)	The presentation import was successful.	3/11/2011 10:29 AM CST
a5fca306-3283-4616-b95a-cae2be098416.zip	Complete (Manage imported presentation)	The presentation import was successful.	1/19/2011 3:36 PM CST

Mediasite Server
Version 5.5.1 Build 6081

4/20/2011 1:42 PM CDT
© 2010 Sonic Foundry Inc.

Camtasia Relay Integration Setup


1. Log in to your Camtasia Relay website as an administrator.




A login form with two input fields: 'Username:' and 'Password:'. Below the password field is a blue link that says 'Forgot your password?'. At the bottom right of the form is a yellow 'Sign In' button.

Enable the Mediasite Plug-In

2. Click System > Plug-Ins from the menu.




3. Look for the Mediasite plug-in and click the Verify button.



4. You should see an indication that the plug-in has been successfully verified. Next click the Install button.




5. You should see an indication that the plug-in has been successfully installed.



Create a New Mediasite Publishing Destination

6. Click Profiles > Publish Destination Setup from the menu.



7. On the left menu look for the Mediasite node and click it.
8. Specify a title, hostname, path, and the viewer URL for the Mediasite FTP or sFTP destination that you have configured. This process is exactly the same as setting up an FTP or sFTP destination in Cam-

tasias Relay.




New Mediasite Destination

Title: *

Host: *


Example: ftp.media.company.com

Path:

Example: presentations\class

Mediasite Viewer URL: *

Example: http://mediasite.company.com/virtualdirectory/viewer

Protocol:

* required