



Install Snagit on Remote Desktop Services

Version 2024 | October 2023

All rights reserved

This manual, as well as the software described in it, is furnished under license and may be used or copied only in accordance with the terms of such license. The content of this manual is furnished for informational use only, is subject to change without notice and should not be construed as a commitment by TechSmith Corporation. TechSmith Corporation assumes no responsibility or liability for any errors or inaccuracies that may appear in this manual.

Trademarks

All-In-One Capture, Audiate, Camtasia, Camtasia Studio, Coach's Eye, C Icon, EnSharpen, Enterprise Wide, Jing, Knowmia, Morae, Rich Recording Technology (RRT), Screencast, Screencast.com, Screenshot Intelligence, SmartFocus, Snagit, S Icon, TechSmith, TechSmith and T Design Logo, TechSmith Academy, TechSmith Assets, TechSmith Audiate, TechSmith Camtasia, TechSmith Capture, TechSmith Fuse, TechSmith Knowmia, TechSmith Motion, TechSmith Relay, TechSmith Screencast, TechSmith Snagit, TechSmith Smart Player, TechSmith Video Review, TSCC, and Video Review are either registered marks or marks of TechSmith Corporation in the U.S. and/or other countries. This list is not a comprehensive list of all TechSmith Corporation marks. The absence of a name/mark or logo in this notice does not constitute a waiver of any intellectual property rights that TechSmith Corporation has established in any of its product, feature or service names/marks or logos. All other marks are the property of their respective owners.

Table of Contents

Table of Contents.....	1
Introduction.....	2
System Requirements	3
Process Overview	4
Example	4
1. Setup and Considerations.....	5
Deployment Tool.....	5
2. Create a Transform File (MST).....	6
Download the Deployment Tool.....	6
Customize the Settings	6
Example.....	6
Create the Transform File (MST).....	9
3. Distribute Snagit.....	10
4. Verify the Installation Settings.....	11
Example	11
5. Verify the Initial Launch Settings	13
Example	13

Introduction

This guide is intended for system administrators or Information Technology (IT) professionals who are deploying Snagit to multiple users. It includes an example of a custom configuration to help you deploy Snagit version 2024 within your organization using Microsoft Remote Desktop Services.

TechSmith offers additional deployment options other than the scenarios outlined in this guide. For more information on other options for deploying Snagit within your organization's environment, please consult the following from our [Enterprise Deployment and Rollout Resources](#):

- [Snagit Deployment Guide](#)
- [Snagit MSI Installation Guide](#)
- [Snagit COM Server Guide](#) and [Code Samples](#)

Note: Snagit 2024 stores the user's captures in a conventional directory (referred to as the Library) rather than a special "DataStore" directory like Snagit 2021 and earlier versions. The default Library directory is %USERPROFILE%\Documents\Snagit\, but this can be customized or correspond to one of several cloud directories (e.g. Box, Dropbox, Google Drive, iCloud, or OneDrive).

System Requirements

- Microsoft Windows Server 2019 or Windows Server 2016
- .NET 4.72 or later
- 64-bit 2.4 GHz single or more core processor (dual core i5 required for video capture)
- 4 GB of RAM
- 1.5 GB of hard disk space for program installation
- Windows Media feature enabled on the Microsoft Windows Server

Process Overview

These instructions will cover a simple installation of Snagit into a Hosted Shared Desktop environment.

1. [Setup and Considerations](#)
2. [Create a Transform File \(MST\) using the TechSmith Deployment Tool](#)
3. [Distribute Snagit or use your preferred deployment system](#)
4. [Verify the Installation Settings](#)
5. [Verify the Initial Launch Settings](#)

To help get you started, an example configuration is used throughout this guide.

Example

This example requires the user to immediately save images to a remote location after taking the capture. In this example:

- The autosave location (Library) is here: %USERPROFILE%\Documents\Snagit\
- The system is connected to a Windows Server 2016.
- Roaming Profiles are used.
- A file server or cloud storage location may be used when manually saving files after capture.
- The GPO settings are configured to "Delete cached copies of roaming profiles" which removes the local user folders when logged off.

1. Setup and Considerations

Deployment Tool

The example listed in this guide applies to Snagit version 2024 or later and the TechSmith Deployment Tool version 3.1.0.97 or later. Make sure to use these versions in order to create the correct registry values in HKLM.

See [Download the Deployment Tool](#).

Note: For Snagit to run properly on any Windows machine, users must have Read and Write access to the path %PUBLIC%\Techsmith. This is the default for members of the Local Users group on a Windows server, and users will not be able to start Snagit on the remote desktop if these rights are changed.

2. Create a Transform File (MST)

The TechSmith Deployment Tool is designed for Information Technology (IT) professionals or system administrators responsible for installing Snagit throughout an organization. The tool enables the administrator to customize the settings and generate a Windows Installer Transform file (MST) and a BAT file.

Download the Deployment Tool

1. Download the Snagit MSI file and the TechSmith Deployment Tool from www.techsmith.com/enterprise-resources.html.
2. Double-click TechSmith_Deployment_Tool.exe to launch the program.
3. By default, the Deployment Tool generates the MST and BAT files into the same directory where the executable is launched.
4. The Welcome screen appears. Click the **Open MSI Package** button.
5. Select the Snagit.msi file.
6. Click **Open**.

The MSI file opens in the Deployment Tool and displays the available options for creating a custom transform (MST) file.

Customize the Settings

The Deployment Tool allows you to customize configuration options. For information on the available settings, download the Snagit Deployment Tool Guide from [Enterprise Deployment and Rollout Resources](#).

Example: Create a fresh (empty) autosave folder and library when the user logs on.

This example requires the user to immediately save images to a remote location after taking the capture. In this situation, set the following options for each screen within the Deployment Tool:

Option	Description
General Options	
Select Yes in the Virtual Machine Optimization dropdown.	Snagit performs optimizations when it detects it is running in a virtualized environment. To learn more about the optimizations, see the Snagit Deployment Tool Guide.

Option	Description
	Select Yes to always apply these optimizations.
Disable Snagit Settings	
Select the Disable automatic updates option.	Select the Disable automatic updates option to allow the system administrator to control software updates and which version users are running across an organization.
Select the Disable online Snagit registration dialog option.	<p>The online Snagit registration dialog appears after installing Snagit.</p> <p>Select the Disable online Snagit registration dialog option to hide the software registration dialog from users.</p>
Select the Disable Printer Capture option.	<p>The Printer Capture option scans the document in a program and opens the capture in Snagit Editor.</p> <p>Select the Disable Printer Capture option when deploying in a server environment (e.g. Remote Desktop Services).</p> <div data-bbox="748 1276 1377 1465" style="background-color: #f0f0f0; padding: 5px;"> <p>If you disable printer capture, make sure to also deselect the Snagit Printer option on the Install Features screen of the Deployment Tool.</p> </div>
Install Features	
Deselect the Snagit Printer option.	<p>The Snagit Printer installs as a printer destination for programs with printing capability.</p> <p>Deselect the Snagit Printer option when deploying in a server environment (e.g. Remote Desktop Services).</p>
Deselect the Snagit outputs that will	The Snagit outputs help users quickly send captures

Option	Description
not be used.	<p>to third-party websites and applications for easy sharing of images and videos in Snagit.</p> <p>The outputs appear on the Share tab in Snagit Editor. You can select which outputs are available to users.</p> <p>If you disable any of the outputs, the output will not appear on the Share tab in Snagit.</p> <p>For example, if YouTube is blocked in your organization, you may want to remove the Share to YouTube in Snagit by deselecting the YouTube Output on the Install Features screen of the Deployment Tool.</p>
User Data Paths	
For Automatically stored files, select the Use default location option.	<p>Snagit automatically saves all captures in the Library folder. The default location for this folder is: %USERPROFILE%\Documents\Snagit\</p>
For Installed outputs, select the Use custom folder option and enter: %PROGRAMFILES%\TechSmith\Snagit 2024\Outputs\24	<p>The Snagit outputs appear on the Share tab in Snagit Editor and allow users to share their captures to popular destinations.</p> <p>The default location to store the installed outputs is: %LOCALAPPDATA%\TechSmith\Snagit\Outputs\24</p> <p>If you select a custom folder to store the installed outputs, consider the following items:</p> <ul style="list-style-type: none"> • For roaming profiles, you should use a location that is common and available to all users. • If a user does not have write access to the folder, Snagit disables the ability for user to update or remove outputs from the Outputs tab in Snagit Editor Preferences.
For Other user settings, select the	User settings such as Quick Styles, cached

Option	Description
Use custom folder option and enter: %APPDATA%\TechSmith\Snagit	thumbnails, additions to the spelling dictionary, TUDI files, etc. are stored by default in: %LOCALAPPDATA%\TechSmith\Snagit

Create the Transform File (MST)

On the Create Transform File screen, click the **Create Transform** button to generate the Transform file (MST) and the Batch Processing file (BAT) based on the options selected within the Deployment Tool.

3. Distribute Snagit

This section describes how to install Snagit using the command line.

You can also distribute the MST transform file with your preferred deployment system.

1. Copy the MSI file and the MST transform file to a location accessible from the server.
2. To install Snagit without any user dialogs, applying a transform named “Setup_Snagit.mst,” run the following commands:

```
change user /install
msiexec /i \\machine\share\Snagit\Setup_Snagit.msi TRANSFORMS="Setup_Snagit.mst" /qn
change user /execute
```

Any MST transform files are applied by specifying the transform file names in the property TRANSFORMS on the msiexec command line. Multiple transform files are separated by semicolons.

4. Verify the Installation Settings

Open the Registry Editor and browse to:


HKEY_LOCAL_MACHINE\SOFTWARE\TechSmith\Snagit\24

Verify the following settings:

Example

This example requires the user to immediately save images to a remote location after taking the capture.

Name	Data
AccessoryInstallPath	<p>The AccessoryInstallPath allows administrators to maintain control of the installed outputs. It is not recommended to allow standard users write-access to this path. This prevents users from installing or upgrading the outputs.</p> <p>When using Remote Desktop Services set the path to: %PROGRAMFILES%\TechSmith\Snagit2024\Outputs\24</p>
VMOverride	<p>Verify that the registry key is set to "OtherVM."</p> <p>This registry key is set by selecting "Yes" for the Virtual Machine Optimization option within the TechSmith Deployment Tool.</p>
LibraryStoreDirectory	<p>The LibraryStoreDirectory sets the location where the autosaved files are stored.</p> <p>On the User Data Paths screen, verify that Automatically stored files are set to the Use custom folder option. This sets LibraryStoreDirectory accordingly in the registry (HKEY_LOCAL_MACHINE/SOFTWARE/TechSmith/Snagit/24).</p>

Name	Data
	

5. Verify the Initial Launch Settings

1. Open the Registry Editor and browse to:
HKEY_CURRENT_USER\Software\TechSmith\Snagit\24
2. Verify the following settings:

Example

Name	Data
AppDataPath	\\SERVERNAME\SHARE\USERNAME\AppData\Roaming\TechSmith\Snagit
DataStoreDriveType	3 (for a fixed (local) drive)
LibraryStoreDirectory	C:\Users\USERNAME\Documents\Snagit